

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I
No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000111899/CR/2203000008

Date: 01/03/2022

To,
SMBT AYURVED COLLEGE AND HOSPITAL
746,Nandi hills, Dhamangaon,
Igatpuri, Dist: Nashik.



Your Service is Our Duty

Sub: Renewal of Combined Consent and BMW Authorization under Red Category

- Ref:**
1. Combined Consent and Bio-Medical Authorization granted by the Board vide no. 34092/CR-2010000653 Dated 20.10.2020 valid up to 31.03.2021
 2. Your application for Combine Consent and Bio-Medical Authorization dated 15.04.2021
 3. The minutes of Consent Appraisal Committee meeting dated 13.10.2021 & 29.10.2021.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.03.2023**
2. **The capital investment of the project is Rs.8.5 Crs. (As per C.A Certificate submitted by industry -).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	300	Nos
b)	Total Plot Area	5018.50	Sq.Mtrs
c)	Total Built up Area	5016.76	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	1.6	As per Schedule -I	Treated effluent recycle and remaining used on land for gardening / in to drainage system of Local body.
2.	Domestic effluent	10.4	As per Schedule - I	As above

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [125 KVA]	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1		0	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	10	Kg/Day	Drying	used as a manure
2	Wet Waste	15	Kg/Day	Compsting	used as a manure
3	Dry Waste	10	Kg/Day	Sale/ Composting	Reuse /used as a manure

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow colored non-chlorinated plastic bags	CHWTSDF
		b) Soiled Waste	24.00		
		c) Expired or Discarded Medicines	21.00		
		d) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	5.00		
2	Red	Contaminated waste (Recyclable)	45.00	Red colored non chlorinated plastic bags or containers	CHWTSDF
3	White (Translucent)	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamper proof container	CHWTSDF
4	Blue	a) Glassware	57.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CHWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization
 1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid,ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
 - a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.

- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall provide primary ETP within three months and submit BG of Rs.2.0 Lakh towards the same. The primary treated effluent shall be treated in existing STP.
 14. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.
 15. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient



8d51f2d0
15ca457e
78a88e21
b1f5e50c
92e0471e
e04cc1a4
0e7f2423
7fef461e

Signed by: Ashok Shingare
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-03-01 19:45:33 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	MPCB-DR-5537	15/04/2021	RTGS
2	30000.00	MPCB-DR-6786	09/07/2021	RTGS

Balance amount of Rs. 5000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik
 - They are directed to ensure the compliance of the consent conditions.
 - They are directed to forfeit the bank guarantee of Rs.2.0 Lakhs towards non-compliances of consent condition and top-up with double amount.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 2.00 CMD consisting of Primary (Collection tank, Neutralization tank) .
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 13 CMD for the treatment of 10.4 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	250 mg/l
3	Suspended Solids	Not to exceed	100 mg/l

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	13.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.30
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO₂
1	DG Set [125 KVA]	Acoustic enclosures and stack	5.0	HSD	26 Kg/Hr	1.00	12.48

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

<i>Sr. No.</i>	<i>Consent(C2E/C20/C2R)</i>	<i>Amt of BG Imposed</i>	<i>Submission Period</i>	<i>Purpose of BG</i>	<i>Compliance Period</i>	<i>Validity Date</i>
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

<i>Sr.No</i>	<i>Activity / Condition to be Complied</i>	<i>Compliance Timeline(Months)</i>	<i>Bank Guarantee Amount</i>
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	Rs.50,000/-
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	Rs.50,000/-
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	Rs.25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	Rs.50,000/-
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	Rs.50,000/-
2	To install primary ETP within 3 months	Continuous	Rs. 2,00,000/-

BG Forfeiture History

<i>Srno.</i>	<i>Consent (C2E/C2O/C2R)</i>	<i>Amount of BG imposed</i>	<i>Submission Period</i>	<i>Purpose of BG</i>	<i>Amount of BG Forfeiture</i>	<i>Reason of BG Forfeiture</i>
NA						

BG Return details

<i>Srno.</i>	<i>Consent (C2E/C2O/C2R)</i>	<i>BG imposed</i>	<i>Purpose of BG</i>	<i>Amount of BG Returned</i>
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.

10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

25. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.





Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No: MPCB-CONSENT-0000168134
Application submitted on: 12-04-2023

Industry Information

Consent To: Renewal (Normal)
IIN No.: MPCB-CONSENT-0000111899
Submit to: SRO - Nashik

Type of institution: Health Care Establishment
Industry Type:
Category: Red
Scale: S.S.I

Location of industry/activity/etc: Local Body
Name of Local Body: SMBT Ayurved College

EC Reqd. No

Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit) No

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

Name	Address
DR. PRADEEP RAMRAO BHABAD	Nandi Hills, Dhamangaon, Tal. Igatpuri, Dist. Nashik
Designation	Taluka
PRINCIPAL	Igatpuri
Area	District
Dhamangaon	Nashik
Telephone	Fax
9011067102	02553-282300
Email	Pan Number

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

Industry name

SMBT AYURVED COLLEGE AND HOSPITAL

Location of Unit

Nandihills, Dhamangaon

Taluka

Igatpuri

Survey number/Plot Number

746

District

Nashik

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

Maharashtra Pollution Control Board, Mumbai

Planning Authority

Maharashtra Pollution Control Board, Mumbai

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

Maharashtra Pollution Control Board, Nashik Regional Office

Name of the licence issuing authority

Maharashtra Pollution Control Board, Nashik Regional Office

3. Names, addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

Dr. Harshal Sudhir Tambe

Telephone number

02553282341

Fax number

02553282341

Officer responsible for day to day business

Dr. Pradeep Ramrao Bhabad

4. (a.) Are you registered Industrial unit ?

Yes

Registration number

125

Date of registration

Apr 25, 2016

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

200.00

*** Verified**

CA Certificate

*** Terms**

1

*** Consent Fee**

45000.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From	Distance(Km)	* Name
SH/NH	0.00	Nashik-Shirdi SH
River	3.00	Darna
Human Habitation	0.00	--NA--
Religious Place	0.00	--NA--
Historical Place	0.00	--NA--
Creek/Sea	0.00	--NA--

6b. Enter Latitude and Longitude details of site

Latitude

19.5771389

Longitude

74.20893204

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
NA	No	No	0	

8. If the site is situated in notified industrial estate,

		Details
(a) Whether effluent collection, treatment and disposal system has been provided by the authority.	No	NA
(b) Will the applicant utilize the system, if provided.	No	NA
(c) If not provided, details of proposed arrangement.	NA	

9.

(a) Total plot area (in square meter)	(b) Built up area and (in square meter)	(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)
6070.28	5018.5	3750

10. Month and year of commissioning of the Unit.

2014-04-01

11. Number of workers and office staff

Workers	staff	Hrs. of shift	Weekly off
22	22	8	1

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?

No NA

(b) If yes, please state population staying

Number of person staying	Water consumption	Sewage generation	Whether is STP provided?
	150	1000	Yes

(c) Indicate its location and distance with reference to plant site.

Number of person staying	Water consumption
SMBT EDUCATIONAL CAMPUS, NANDI HILLS, DHAMANGAON, NASHIK	0.5

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
Ayurvedic	m3/day	0	0	0	0	0	0
OTHERS	m3/day	0	0	0	0	0	0

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
0	m3/day	0	0

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
0	m3/day	0	No	No	0

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

0

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	150	150	STP	0	Shared ETP	0
Water gets Polluted & Pollutants are Biodegradable	10.0	10.0	Primary	0	Shared ETP	0
Water gets Polluted, Pollutants are not Biodegradable & Toxic	10.0	10.0	Primary	0	Shared ETP	0
Industrial Cooling, spraying in mine pits or boiler feed	0.0	0	Primary	0	Shared ETP	0
Others	WELL.1					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of Local Body	Name of authority granting permission	Qauntity permitted
Local Body	Biomedical wasete management.	Bio-medical waste management	150

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
112.0	0.0	0.0	0.0
Process	DM Plants/Softening	Washing	Tail race discharge from
0.0	0.0	8.0	0.0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

0.0

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

120.0

Treatment unit	Size (mxm)	Retention time (hr)
1	0.40	12.0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

10.0

Treatment unit	Size (mxm)	Retention time (hr)
BMW Authorisation Segregation and Treatment	0.4	12

22.

(i) Are sewage and trade effluents mixed together?

Yes

If yes, state at which stage-Whether before, intermittently or after treatment.

1000 L/day

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) 150.0

Effluent sump/Guard pond details No NA

If yes, state at which stage-Whether before, intermittently or after treatment. No NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river)	NA	(ii) into creek/estuary (name of Creek/estuary)	NA
(iii) into sea	NA	(iv) into drain/sewer (owner of sewer)	NA
(v) On land for irrigation on owned land/ase land. Specify cropped area.	NA	(vi) Connected to CETP	NA
(vii) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)	149		

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH	6-8	
SS (mg/l)	450-550	
BOD (mg/l)	200-300	
COD (mg/l)	300-450	
TDS (mg/l)	2300-2500	
Specific pollutant if any	Name	Value
	1	1
	1	

Treated Effluent

pH	5.5-9.0
SS (mg/l)	100
BOD (mg/l)	100
COD (mg/l)	250
TDS (mg/l)	2100

Specific pollutant if any	Name	Value
1	Oil and Grease	20-25
1		

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

Yes

26. Fuel consumption

Fuel Type	UOM	Fuel Consumption TPD/LKD	Calorific value
--NA--	m3/day	0	0
Ash content	Sulphur content	Quantity	Other (specify)
0	0	1	0

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
0	0	0	0
(e) Fuel quantity (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
0	0	0	0
(i) Diameter/Size, in meters	(j) Gas quantity, Nm3/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
0	0	0	0
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
0	0	0	0

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole	No	Details	NA
Platform	No	Details	NA
Ladder	No	Details	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm3	flow (Nm3/hr)
---------------	--------------------------	------------------	-----------------------------	----------------------

1 - 0 0
(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

NA

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I

Cat No	Type	Qty	UOM
Other	Other Hazardous Waste	183	Kg/M
Max	Method of collection	Method of reception	Method of storage
	BMW Transport	BMW rule	Container/ Bags
Method of transport	Method of treatment	Method of disposal	
Van of Watergrace product Nashik	BMW authorisation segregation and treatment.	Cat-7-8 Disinfection	

Waste (Annually) Schedule II

31. Details about use of hazardous waste

Name of hazardous waste/Spent chemical	Quantity used/month	Party from whom purchased	Party to whom sold
NA	183	BMW Authorization Segregation and Treatment	BMW

32.

a. **Details about technical capability and equipments available with the applicant to handle the Hazardous Waste**

NA

b. **Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics**

NA

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

35.

Are you using any imported hazardous waste. If yes, give details.

NA

36.

Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.

NA

37.

Present treatment of hazardous waste, if any (give type and capacity of treatment units)

NA

38. Quantity of hazardous waste disposal

(i) Within factory

0

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

(iii) Through sale (enclosed documentary proof and copies of agreement.)

0

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

NA

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

AN

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
NA	0	m ³ /day	0	0	0

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?

NA

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

NA

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NA

(iv) Has approval of site been obtained from the concerned authority?

NA

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

NA

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NA

(vii) Does the unit possess a policy under the PLI Act?

NA

45. Brief details of tree plantation/green belt development within applicant's premises (in hectares)

Open Space Availability	Plantation Done On	Number of Trees Planted
4046 Square meter	2023 Square meter(50 %)	817

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

NA

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

817

(b) Any other additional information that the applicants desires to give

NA

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

NA

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

Signature : Sd/-

Name : Dr. Pradeep Ramrao Bhabad

Yours faithfully

Designation : Principal

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	NA	NA	NA	NA

Separate EM Provided	No	Other Emission Sources	NA
Measures Proposed	NA	Foul Smell Coming Out	No
Air Sampling Facility Details	NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
NA	0	NA

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
Other Hazardous Waste	183	m3/day	BMW Authorisation Segregation and Treatment	Cat-7-8 Disinfection	NA

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks
-------------------	--------------	---------

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

Bank Guarantee Applicable: Yes

Applicable against Consent: Yes

Applicable against Direction: No

Annexure

Consent to Establish

Date	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)
Jan 1, 1900	0	0	0

Consent to Operate

Date	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)	CC/OC
Jan 1, 1900	0	0	0	

Application Details (Applied for Consent To Establish Expansion)

Date	Applied For	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)
Jan 1, 1900		0	0	0

Remark/Present status and violation if any

Consent To Establish

Date	Capital Investment(Crs.)
Jan 1, 1900	0
Products	Quantity(MT/A)
	0

Consent To Operate

Date	Validity	Capital Investment(Crs.)
Jan 1, 1900	Jan 1, 1900	0
Products	Quantity(MT/A)	
	0	

Application Details (Applied for Consent To Establish Expansion)

Date	Capital Investment(Crs.)
Jan 1, 1900	0
Products	Quantity(MT/A)
	0

Hazardous Waste Generation Categories C to E

Waste Name	Quantity(MT/A)
	0

Hazardous Waste Generation Categories C to O

Waste Name	Quantity(MT/A)
	0

Hazardous Waste Generation Categories C to E(Expansion)

Waste Name	Quantity(MT/A)
	0

Effluent Generation Categories C to E

Waste Name	Quantity(MT/A)
	0

Effluent Generation Categories C to O

Waste Name	Quantity(MT/A)
	0

22

Effluent Generation Categories C to E(Expansion)

Waste Name

Quantity(MT/A)

0

Remark/Present status and violation if any



Watergrace Products

COMMON BIO.MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK

Near Kannamwar Bridge, Mumbai Agra Road, Dwarka Nashik – 422 001. ☎ : (0253) 2970299

e-mail : helpdesk@watergrace.com, website : www.watergrace.com

REF NO. : WGP/BMW/DEVLALI CAMP BHAGUR/03/2023/5868

DATE : 14-MAR-23

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that The Principal , Smbt Ayurved College Hospital , Nandi Hills, Dhamangaon, Tal.-Igatpuri Dist.-Nashik With 260 (Two Hundred Sixty) Beds. Strength is registered member of our Common Bio-Medical Waste Management Collection Transportation Treatment and Disposal Facility Nashik vide Registered Index No. 65967 Dated 1st.July.2017. The said Health Care units giving us Biomedical Waste for disposal as per the Maharashtra Pollution Control Board (M and H) Rules.

This NOC is valid upto :30 Jun 2023, for 260 (Two Hundred Sixty) Beds.

For Watergrace Products Nashik

Authorized Signatory





महाराष्ट्र MAHARASHTRA

© 2021 ©

THE COURT OFFICE, NASIK
ZK 130144
- 9 FEB 2022
STPHC ATO

EWASTE RECYCLING AGREEMENT BETWEEN

TECHECO EWASTE NAMO LLP

AND


SMBT SEVABHAVI TRUST

Validity of Agreement

From 02/03/2022 TO 01/03/2024

For TECHECO EWASTE NAMO LLP

AUTHORIZED SIGNATORY



THIS AGREEMENT "Agreement" is made and executed as on 02-03-2022 at Nashik
between

SMBT Sevabhavi Trust, situated at Nandi Hills, Dhamangaon-Ghoti, Tal-Igatpuri, Nashik 422403 hereinafter referred to as "the Customer", which expression unless be repugnant to the context, shall mean and include successors, affiliates and assigns of the One Part.

AND

M/s Techeco Ewaste Namu LLP, a company registered under the Limited Liability Partnership Act 2008 and having its corporate office at 2A 2nd Floor, Building No.11/12, Raghuwanshi Mill Compound, SB Road, Lower Parel(W), Mumbai, India, And Facility at Gat No. 155/B/2, Village: Dhakambe, Tal: Dindori, Dist: Nashik, Maharashtra, 422009 here in after referred to as "**Techeco**", which expression unless be repugnant to the context, shall mean and include successors and assigns of the Other Part.

As the context may require, the Customer and Techeco shall hereinafter be referred to severally as '**Party**' and collectively as '**Parties**'

WHEREAS:


- A. The Customer is going to provide Ewaste generated at their various institutions as mentioned in Annexure A .
- B. Techeco is an approved E-waste Recycler by the Maharashtra Pollution Control Board ("**MPCB**") under E-waste Management & Handling Rules 2016 and is operating a facility for the collection, Segregation, Dismantling, and Recycling of E-Waste and having their Recycling Machinery in Nashik, Maharashtra. Techeco is engaged in the business of recycling and disposal of E-waste.
- C. The Customer requires the Services (as defined below) to be provided by Techeco and that Techeco has represented that it can provide the Services; and
- D. The Customer hereby engages to provide the Services to Techeco, in accordance with the terms and conditions of the Agreement.

NOW THESE PRESENTS WITNESS AND THE PARTIES HERETO AGREE HEREBY AS FOLLOWS:

1. Definitions

- 1.1. In this Agreement, unless the context otherwise requires, the following words and expressions shall have the following meanings ascribed to them:

For **TECHECO EWASTE NAMO LLP**



AUTHORIZED SIGNATORY

1.1.1 **"Techeco's Plant"** shall mean recycling machinery situated at Nashik, Maharashtra

1.1.2 **"Applicable Laws"** means Basal Convention and all statutes, rules, judgment, order, regulation, directives, standards, guidelines, policies by-laws, approvals from government authority or other government restrictions or adjudication by quasi-judicial authorities (including those relating to environment, taxes, assessment etc) governing the Territories of Customer and Techeco.

1.1.3 **"E-Waste"** shall mean Electrical and Electronics Equipment at their end of life, whole or in part and scraps or rejects from their manufacturing process, which are intended to be discarded. The waste end of life equipment's which can be useful directly or after refurbishing or recycling.

1.1.4 **"Delivery Point"** shall mean the place of business of the Customer as may be agreed from time to time.

2. **Engagement**

2.1. Subject to the terms and conditions of the Agreement, the Customer hereby engages Techeco and Techeco hereby agree to provide Services to the Customer during the Term of this Agreement (**"Engagement"**).

3. **Techeco Services**

Techeco shall provide Services in the nature of recycle the E-Waste supplied by the Customer.

4. **Obligations of the Customer**

4.1. Subject to the other terms of the Agreement, the Customer shall ensure that the E-Waste does not contain any hazardous material and shall deliver only E-Waste that qualifies the definition of E-Waste and meets the quality and quantity specifications as may be agreed between the parties from time to time.

4.2. The Customer shall, permit Techeco and its employees to inspect the E-waste in accordance with Clause 7 delivered to Techeco and allow Techeco at its sole discretion, to reject any E-Waste that fails to meet the specifications of E-Waste.

4.3. Customer shall seek a no objection from Techeco in case Customer proposes to sell or give any portion of E-Waste to any third parties during the term of this Agreement.

For TECHECO EWASTE NAMO LLP



AUTHORIZED SIGNATORY

5. Delivery and Transport of E-waste:

- 5.1. The Customer shall arrange space to keep Bins and small space to collect the E-Waste so when it will be small tempo load material Techeco can collect the E-Waste from the Organisation.
- 5.2. Techeco will provide Logistic services from Delivery Point if Minimum quantity is 200 kg.

6. Indemnity

- 6.1. Techeco shall indemnify defend and hold the Customer, its employees, officers and directors against all claims, damages, losses and expenses arising out of or in relation to breach of the Techeco representations and warranties.
- 6.2. The Customer shall indemnify, defend, hold harmless and settle at its own expense, any action or other proceeding brought against Techeco, to the extent that such action or proceeding is based on Customer's representations and warranties becoming false and breach of the Customer's obligations hereunder.

7. Force Majeure:

- 7.1 Force Majeure means any event or a combination of event that materially or adversely affect the performance of either Parties of its obligation ("**Affected Party**") of its obligations in whole or in part, pursuant to the terms of this Agreement but only to the extent that such event or circumstances are not within the Affected Party's reasonable control and have not been caused by wilful neglect or act or omission of the Affected Party. The following events shall constitute Force Majeure: epidemic, nuclear emergency, earthquake, riot, war, acts of terrorist.
- 7.2 The Affected Party shall as soon as possible and no later than Thirty (30) days after occurrence of Force Majeure, provide written notice thereof to the other Party.
- 7.3 The Affected Party shall provide the other Party with prompt notice of cessation of the Force Majeure event and resume its obligations as contained herein.
- 7.4 In the event Force Majeure continues unabated for an uninterrupted period of 180 days either Party has a right to terminate this Agreement by providing prior written notice.

8. Term and Termination

- 8.1 This Agreement, unless otherwise terminated earlier, shall be effective for a period of 2 years from the Effective Date. The Parties may renew the Agreement for further periods by mutually agreeing to the terms of renewal.

For TECHECO EWASTE NAMO LLP



AUTHORIZED SIGNATORY

- 8.2 Either party may terminate the Agreement without assigning any reason upon thirty (30) days' advance written notice to the other.
Either Party may terminate the Agreement if the other Party commits a material breach of the Agreement. However if the material breach is capable of rectification, the party suffering the breach shall be entitled to terminate only after giving 60 days written notice to the other party stating the details of the breach and on such breach not being cured within the thirty (30) days' notice period.
- 8.3 The Techeco shall, permit customer and its employees to inspect E Waste dismantling plant at any time during agreement period in case needed by Customer.
- 8.4 The Techeco will be solely responsible to obtain all permission, consent required collecting, segregate, refurbish and recycle E waste from competent authorities such as MPCB or as and when required as per laws applicable from time to time.
- 8.5 Either Party may terminate the Agreement forthwith by written notice if the other party is adjudged insolvent or bankrupt, or upon the institution of any proceedings by or against the other party seeking relief, reorganization or arrangement under any laws relating to insolvency, or upon any assignment for the benefit of creditors, or upon the appointment of a receiver, liquidator or trustee of any of the other party's property or assets, or upon liquidation, dissolution or winding up of the other Party's business.
- 8.6 Upon termination of Agreement
(i) Techeco shall cease to provide the Services;
- 8.7 Termination shall not affect either Party's prior rights or liabilities.

9. Severability

If at any time one or more provision of this Agreement becomes invalid or unenforceable, the remainder of this Agreement shall survive and remain in full force and effect. The parties shall endeavor in good faith to mutually discuss and include replacement provision to the Agreement to carry out the intention of the parties.


10. Relationship

Nothing in this Agreement shall be construed as creating a partnership or joint venture between the Parties or constitute either Party the agent of the other Party for any purpose.

11. Price

The Techeco will reimburse to the customer for collected E waste item as per rates mentioned in Annexure B.

For TECHECO EWASTE NAMO LLP




AUTHORIZED SIGNATORY

IN WITNESS WHEREOF, the undersigned, intending to be legally bound, have duly executed this Agreement to become effective as of the date first above written.

For Techeco Ewaste Namu LLP

For TECHECO EWASTE NAMO LLP



AUTHORIZED SIGNATORY


Name: Mr. Parikshit Deshmukh

Designation: Partner

Place: Nashik

Date: 02-03-2022

For SMBT Sevabhavi Trust



7/3/2022

Name: S.D. KURHE

Designation: CHIEF OFFICER

Place: DHAMANGAON


Date: 07/03/2022



ANNEXURE B

Sr. No.	Electrical and Electronic Items	Item Code	Best Price Per Piece	Worst Price Per Piece
1	CENTRALISED DATA PROCESSING: MAINFRAMES, MINICOMPUTERS	ITEW1	Server-1500	400
2	PERSONAL COMPUTING : PERSONAL COMPUTERS (CENTRAL PROCESSING UNIT WITH INPUT AND OUTPUT DEVICES)	ITEW2	Keyboard- 80	10
			LCD/LED Monitor- 500	80
			Mouse- 30	4
			SMPS- 35	35
			HDD- 200	60
			UPS- 300	100
			CPU- 800	180
			VGA/Power Cable- 5	5
3	PERSONAL COMPUTING : LAPTOPS COMPUTERS(CENTRAL PROCESSING UNIT WITH INPUT AND OUTPUT DEVICES)	ITEW3	Laptop- 3000	400
			Laptop Charger- 20	20
4	PERSONAL COMPUTING : NOTEBOOK COMPUTERS	ITEW4	3000	500
5	PERSONAL COMPUTING : NOTEPAD COMPUTERS	ITEW5	3000	500
6	PRINTERS INCLUDING CARTRIDGES	ITEW6	Printer- 200	50
			Tonner- 5 Rs/Kg	5 Rs/Kg
7	COPYING EQUIPMENTS	ITEW7	Scanner- 50	30
8	ELECTRICALS AND ELECTRONIC TYPEWRITERS	ITEW8	50	30
9	USER TERMINAL AND SYSTEMS	ITEW9	300	50
10	FACSIMILE	ITEW10	200	30
11	TELEX	ITEW11	30	10
12	TELEPHONES	ITEW12	20	10
13	PAY TELEPHONES	ITEW13	20	5
14	CORDLESS TELEPHONES	ITEW14	20	10
15	CELLULAR TELEPHONES	ITEW15	1000	80
16	ANSWERING SYSTEMS	ITEW16	1000	20
17	TELEVISION SET (INCLUDING SETS BASED ON LIQUID CRYSTAL DISPLAY AND LIGHT EMITTING DIODE TECHNOLOGY)	CEEW1	CRT TV- 70	40
			LCD/LED TV- 1000	150
18	REFRIGERATOR	CEEW2	20 Rs/Kg	
19	WASHING MACHINE	CEEW3	22 Rs/Kg	
20	AIR CONDITIONERS EXCLUDING CENTRALISED AIR CONDITIONING PLANTS	CEEW4	Indoor, Outdoor, Commercial and Industrial AC- 65 Rs/Kg	
21	ELECTRICAL ITEMS	NA	10 Rs/Kg	5 Rs/Kg
22	INSTRUMENTATION ITEMS	NA	10 Rs/Kg	5 Rs/Kg

For TECHECO EWASTE NAMO LLP



AUTHORIZED SIGNATORY