


BMW AUTHORIZATION

MAHARASHTRA POLLUTION CONTROL BOARD																							
Tel: 24010706/24010437		Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022																					
Fax: 24023516																							
Website: http://mpcb.gov.in																							
Email: cac-cell@mpcb.gov.in																							
RED/S-5.1	Date: 20/10/2020																						
No:- Format 1.0/CAC/UAN No.0000034092/CR - 20/0000653																							
To, SMBT AYURVED COLLEGE AND HOSPITAL 746, Nandi hills, Dhamangaon, Igatpuri, Nashik.																							
Sub: Combine Consent to operate and BMW Authorization																							
Ref: 1. Bio-Medical Authorization granted by the Board vide no. MPCB/RONK/BMWN-35/AUTH/1478 Dated 01.05.2013 2. Your application for Combine Consent and Bio-Medical Authorization dated 26.09.2017 3. The minutes of Consent Appraisal Committee meeting dated 25.02.2019																							
Combined Consent to Renewal and BMW Authorization. For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:																							
1. The Combined Consent to Renewal and BMW authorization is granted upto 31.03.2021																							
2. The capital investment of the project is Rs.8.5 Cro. (As per C.A Certificate submitted by industry).																							
3. The Consent is valid for the Activity of																							
<table border="1"> <thead> <tr> <th>Sr No</th> <th>Activity</th> <th>Quantity</th> <th>UOM</th> </tr> </thead> <tbody> <tr> <td>1)</td> <td>Hospital</td> <td></td> <td></td> </tr> <tr> <td>a)</td> <td>Beds</td> <td>300</td> <td>Nos</td> </tr> <tr> <td>b)</td> <td>Total Plot Area</td> <td>5018.50</td> <td>Sq.Mtrs</td> </tr> <tr> <td>c)</td> <td>Total Built up Area</td> <td>5016.76</td> <td>Sq.Mtrs</td> </tr> </tbody> </table>				Sr No	Activity	Quantity	UOM	1)	Hospital			a)	Beds	300	Nos	b)	Total Plot Area	5018.50	Sq.Mtrs	c)	Total Built up Area	5016.76	Sq.Mtrs
Sr No	Activity	Quantity	UOM																				
1)	Hospital																						
a)	Beds	300	Nos																				
b)	Total Plot Area	5018.50	Sq.Mtrs																				
c)	Total Built up Area	5016.76	Sq.Mtrs																				
4. Conditions under Water (P&CP) Act, 1974 for discharge of effluents:																							
<table border="1"> <thead> <tr> <th>Sr No</th> <th>Description</th> <th>Permitted (in CMD)</th> <th>Standards to Achieve</th> <th>Disposal</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Trade effluent</td> <td>0</td> <td>As per Schedule - I</td> <td>NA</td> </tr> <tr> <td>2.</td> <td>Domestic effluent</td> <td>6.0</td> <td>As per Schedule - I</td> <td>Treated effluent recycle and remaining used on land for gardening</td> </tr> </tbody> </table>				Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal	1.	Trade effluent	0	As per Schedule - I	NA	2.	Domestic effluent	6.0	As per Schedule - I	Treated effluent recycle and remaining used on land for gardening					
Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal																			
1.	Trade effluent	0	As per Schedule - I	NA																			
2.	Domestic effluent	6.0	As per Schedule - I	Treated effluent recycle and remaining used on land for gardening																			

5. Conditions under the Air (P & CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set (125 KVA)	1	As per Schedule-II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr.No	Type of Waste	HW Category	Quantity	UsM	Treatment	Disposal
1		0	0	-NA-	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr.No	Type of Waste	Quantity	UsM	Treatment	Disposal
1	STP Sludge	10	Kg/Day	Drying	used as a manure

8. Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	24.00		
		d) Expired or Discarded Medicines	21.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00		
2	Red	Contaminated waste (Recyclable)	45.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
4	Blue	a) Glassware	57.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body Implants	0.00		

D. S. Patil
Page 2 of 3

9. This consent is issued subject to conditions mentioned below:
- The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
 - You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
10. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
11. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
12. PP shall provide primary ETP within 3 months
13. PP shall submit BG of Rs.2.0 Lakhs towards Increase in numbers of the beds without obtaining Boards Combine Consent and BNW Authorization.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok A. Singare IAS),
Member Secretary



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

Received Consent fee of -

Sr.No	Amount/RS.	Transaction/DR. No.	Date	Transaction Type
1	75000.00	7601625	08/11/2017	RTGS
2	45000.00	5451365	13/05/2019	RTGS
3	175000.00	5459130	10/02/2020	RTGS

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik
+ They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

Signature

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) Generation - Nil
B) Treatment - NA
C) Disposal - NA
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 13 CMD for the treatment of 6.0 CMD of sewage.
B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	250 mg/l
3	Suspended Solids	Not to exceed	100 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed.	0.00
2.	Domestic purpose	13.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

[Signature]
Page 3 of 8

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	SO ₂	SO _x
1	DG Set (125 KVA)	Acoustic enclosers and stack	5.0	HSD	26 Kg/Hr	1.00	12.48

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/m ³
--------------------------	---------------	-----------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amnt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
* Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	Rs.50,000/-
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	Rs.50,000/-
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	Rs.25,000/-
2	To maintain records of BMW material delivered to CBMWTSDP	Continuous	Rs.50,000/-
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	Rs.50,000/-

BG Forfeiture History

Sr.no.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Sr.no.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

[Handwritten Signature]

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
3. You shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(5) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (PS&CP) Act, 1974, Air (PS&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

D. D. D. D.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I
No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000111899/CR/2203000008

Date: 01/03/2022

To,
SMBT AYURVED COLLEGE AND HOSPITAL
746,Nandi hills, Dhamangaon,
Igatpuri, Dist: Nashik.



Sub: Renewal of Combined Consent and BMW Authorization under Red Category

Ref:

1. Combined Consent and Bio-Medical Authorization granted by the Board vide no. 34092/CR-2010000653 Dated 20.10.2020 valid up to 31.03.2021
2. Your application for Combine Consent and Bio-Medical Authorization dated 15.04.2021
3. The minutes of Consent Appraisal Committee meeting dated 13.10.2021 & 29.10.2021.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.03.2023**
2. **The capital investment of the project is Rs.8.5 Crs. (As per C.A Certificate submitted by industry -).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	300	Nos
b)	Total Plot Area	5018.50	Sq.Mtrs
c)	Total Built up Area	5016.76	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	1.6	As per Schedule -I	Treated effluent recycle and remaining used on land for gardening / in to drainage system of Local body..
2.	Domestic effluent	10.4	As per Schedule - I	As above

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [125 KVA]	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		0	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	10	Kg/Day	Drying	used as a manure
2	Wet Waste	15	Kg/Day	Composting	used as a manure
3	Dry Waste	10	Kg/Day	Sale/ Composting	Reuse /used as a manure

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow colored non-chlorinated plastic bags	CHWTSDF
		b) Soiled Waste	24.00		
		c) Expired or Discarded Medicines	21.00		
		d) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	5.00		
2	Red	Contaminated waste (Recyclable)	45.00	Red colored non chlorinated plastic bags or containers	CHWTSDF
3	White (Translucent)	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamper proof container	CHWTSDF
4	Blue	a) Glassware	57.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CHWTSDF

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization
 1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
 - a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.

- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall provide primary ETP within three months and submit BG of Rs.2.0 Lakh towards the same. The primary treated effluent shall be treated in existing STP.
 14. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.
 15. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient



Signature

8d51f2d0
 15ca457e
 78a88e21
 b1f5e50c
 92e0471e
 e04cc1a4
 0e7f2423
 75eef461e

Signed by: Ashok Shingare
 Member Secretary
 For and on behalf of
 Maharashtra Pollution Control Board
 ms@mpcb.gov.in
 2022-03-01 18:43:33 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	MPCB-DR-5537	15/04/2021	RTGS
2	30000.00	MPCB-DR-6786	09/07/2021	RTGS

Balance amount of Rs. 5000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Nashik
 - They are directed to ensure the compliance of the consent conditions.
 - They are directed to forfeit the bank guarantee of Rs.2.0 Lakhs towards non-compliances of consent condition and top-up with double amount.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 2.00 CMD consisting of Primary (Collection tank, Neutralization tank) .
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	L Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	250 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 13 CMD for the treatment of 10.4 CMD of sewage.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	250 mg/l
3	Suspended Solids	Not to exceed	100 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	13.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.30
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	DG Set [125 KVA]	Acoustic enclosures and stack	5.0	HSD	26 Kg/Hr	1.00	12.48

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	Rs.50,000/-
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	Rs.50,000/-
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	Rs.25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	Rs.50,000/-
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	Rs.50,000/-
2	To install primary ETP within 3 months	Continuous	Rs. 2,00,000/-

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.

10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

25. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

BIOMEDICAL WASTE MANAGEMENT CERTIFICATE 2017



Watergrace Products

COMMON BIO-MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK

Near Konnamwar Bridge, Mumbai Agra Road, Dwarka Nashik - 422 001. ■ : (0253) 2501816, 2596889.
e-mail : watergrace2010@gmail.com

REF.: WGP/BMW/IGAT./2017/03/677

DATE.:20/03/2017

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that The Principal, S.M.B.T. Ayurved College & Hospital, Nandi Hills, Dhamangaon, Taluka Igatpuri, Dis.- Nashik - With 260(Two Hundred Sixty) Beds strength is registered member of our common Bio-Medical Waste Management Collection Transportation Treatment & Disposal Facility Nashik Since- May- 2010- The Said Hospital/ Dispensary/ Dental Clinic/Pathology Lab/ Blood Bank/ Edu. Inst./Veterinary Clinic/ Med. Research Centers/Other Institutes etc. The said Health Care units giving us Bio-Medical Waste for disposal as per the Maharashtra Pollution Control Board (M&H) Rules.

This NCC is valid upto: 31st August 2017 For 260(Two Hundred Sixty) Beds Only.

For Watergrace Products, Nashik

Authorised Signatory





SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

BIOMEDICAL WASTE MANAGEMENT CERTIFICATE 2018



Watergrace Products

COMMON BIO-MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK
Near Kannamwar Bridge, Mumbai-Agra Road, Dwarka Nashik - 422 001. ☎ : (0253) 2501816, 2594887.
e-mail : watergrace2010@gmail.com

REF.: WGP/BMW/NASHIK/IGATPURI/06/2017/674

DATE.: 07/08/2017

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that S.M.B.T. Ayurved College & Hospital, Nandi-Hills, Dhamangaon-Ghoti, Tal-Igatpuri, Dist- Nashik. With, 260 (Two Hundred Sixty) Beds strength is registered member of our common Bio-Medical Waste Management Collection Transportation Treatment & Disposal Facility Nashik Since May-2010. The Said Hospital/Dispensary/ Dental Clinic/Pathology Lab/ Blood Bank/ Edu.Inst./Veterinary Clinic/ Med. Research Centers/Other Institutes etc. are said Health Care units giving us Bio-Medical Waste for disposal as per the Maharashtra Pollution Control Board (M&H) Rules.

This NCC is valid upto: 30th June - 2018. 260 (Two Hundred Sixty) Beds.

For Watergrace Products Nashik
Authorized Signatory






SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

BIOMEDICAL WASTE MANAGEMENT CERTIFICATE 2019


 **Watergrace Products**
COMMON BIO MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK
Near Kannamwar Bridge, Mumbai Agra Road, Dwarka Nashik - 422 001. ☎ : (0253) 2501816, 2596889.
e-mail : watergrace2010@gmail.com

REF.: WGP/BMW/DEVLALI CAMP BHAGUR/09/2018/640 DATE: 19-09-2018

CERTIFICATE
TO WHOM SO EVER IT MAY CONCERN

This is to certify that The Principal, Smbt Ayurved College Hospital, Nandi Hills, Dhamangaon, Tal.-Igatpuri Dist.-Nashik, With 260 (Two Hundred Sixty) Beds Strength is registered member of our Common Bio-Medical Waste Management Collection Transportation Treatment & Disposal Facility Nashik vide Registered Index No. 065967 Dated 1st July,2017. The said Health Care units giving us Biomedical Waste for disposal as per the Maharashtra Pollution Control Board (M.S.P.) Rules.

This NCC is valid upto :31 Dec 2018, for 260 (Two Hundred Sixty) Beds.

For Watergrace Products, Nashik
Authorized Signatory




Watergrace Products

COMMON BIO-MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK

Near Kannamwar Bridge, Mumbai Agra Road, Dwarka Nashik - 422 001. ☎ : (0253) 2501816, 2596889.
e-mail : watergrace2010@gmail.com

REF.: WGP/BMW/DEVLALI CAMP BHAGUR/12/2018/834

DATE: 25-12-2018

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that The Principal, Smbt Ayurved College Hospital, Nandi Hills, Dhamangaon, Tal.-Igatpuri Dist.-Nashik With 260 (Two Hundred Sixty) Beds.. Strength is registered member of our Common Bio-Medical Waste Management Collection Transportation Treatment & Disposal Facility Nashik vide Registered Index No. 065967 Dated 1st July,2017, The said Health Care units giving us Biomedical Waste for disposal as per the Maharashtra Pollution Control Board (M&H) Rules.

This NCC is valid upto :31 Mar 2019, for 260 (Two Hundred Sixty) Beds.

For Watergrace Products Nashik

Authorized Signatory



BIOMEDICAL WASTE MANAGEMENT CERTIFICATE 2022



Watergrace Products

COMMON BIO.MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK

Near Kannamwar Bridge, Mumbai Agra Road, Dwarka Nashik - 422 001. ☎ : (0253) 2970299

e-mail : helpdesk@watergrace.com, website : www.watergrace.com

REF NO. :WGP/BMW/DEV/LALI CAMP BHAGUR/02/2022/4381

DATE :15-FEB-22

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that The Principal , Smbt Ayurved College Hospital , Nandi Hills, Dhamangaon, Tal.-Igatpuri Dist.-Nashik With 260 (Two Hundred Sixty) Beds. Strength is registered member of our Common Bio-Medical Waste Management Collection Transportation Treatment and Disposal Facility Nashik vide Registered Index No. 65967 Dated 1st.July.2017. The said Health Care units giving us Biomedical Waste for disposal as per the Maharashtra Pollution Control Board (M and H) Rules.

This NCC is valid upto :30 Jun 2022, for 260 (Two Hundred Sixty) Beds.

For Watergrace Products Nashik
Authorized Signatory





SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

E WASTE AGREEMENT



महाराष्ट्र MAHARASHTRA

© 2021 ©



EWASTE RECYCLING AGREEMENT BETWEEN

TECHECO EWASTE NAMO LLP

AND

SMBT SEVABHAVI TRUST

Validity of Agreement

From 02/03/2022 TO 01/03/2024

For TECHECO EWASTE NAMO LLP

AUTHORIZED SIGNATORY





SBMT Sevabhavi Trust's

SBMT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | sbmtayurved@gmail.com | www.smbt.edu.in

जांचक रमेश

दस्तावेज प्रकार / अनुबंध प्रकार -
 दस्त निदेशी कालान आईक ५४ ३८
 गी होणार असल्यास दुय्यम विवेकान सामाजिक कार्य
 निदेशाचे व ले.
 संदर्भ क्र. ११३

TECHECO WASTE MANAGEMENT LLP

मुद्रांक विकत घेण्याबाबत : २
 दुय्यम संदर्भ क्र. ११३
 हस्त असल्यास त्याचे माली व माली
 मुद्रांक मुद्रांक नमूना : ५२३३६१११
 मुद्रांक विक्री नोंद वही अनु.क्रमांक / दिनांक : ५२३३६१११


मुद्रांक विकत घेण्याबाबत सही
 दि. नाविक डिस्ट्रीक्ट ऑडिटोरीय
 मल्लिकार्जुन को.ऑ.व.पो.नामदी दि. नाविक
 मे. १५. एम. के. / जी. एम. एन. / ९९२ / ९९०८ नाविक पोस्ट
 मुद्रांक विकत घेणे

Authorized Signatory

५२३३६१११

15 FEB 2022

WASTE RECYCLING AGREEMENT BETWEEN
 TEHECO WASTE MANAGEMENT
 AND
 SBMT SEVABHAVI TRUST





SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | sbmtayurved@gmail.com | www.smbt.edu.in

THIS AGREEMENT "Agreement" is made and executed as on 02-03-2022 at Nashik
between

SMBT Sevabhavi Trust, situated at Nandi Hills, Dhamangaon-Ghoti, Tal-Igatpuri, Nashik 422403 hereinafter referred to as "the Customer", which expression unless be repugnant to the context, shall mean and include successors, affiliates and assigns of the One Part.

AND

M/s Techeco Ewaste Namu LLP, a company registered under the Limited Liability Partnership Act 2008 and having its corporate office at 2A 2nd Floor, Building No.11/12, Raghuvanshi Mill Compound, SB Road, Lower Parel(W), Mumbai, India, And Facility at Gat No. 155/B/2, Village: Dhakambe, Tal: Dindori, Dist: Nashik, Maharashtra, 422009 here in after referred to as "Techeco", which expression unless be repugnant to the context, shall mean and include successors and assigns of the Other Part.

As the context may require, the Customer and Techeco shall hereinafter be referred to severally as 'Party' and collectively as 'Parties'

WHEREAS:


- A. The Customer is going to provide Ewaste generated at their various institutions as mentioned in Annexure A .
- B. Techeco is an approved E-waste Recycler by the Maharashtra Pollution Control Board ("MPCB") under E-waste Management & Handling Rules 2016 and is operating a facility for the collection, Segregation, Dismantling, and Recycling of E-Waste and having their Recycling Machinery in Nashik, Maharashtra. Techeco is engaged in the business of recycling and disposal of E-waste.
- C. The Customer requires the Services (as defined below) to be provided by Techeco and that Techeco has represented that it can provide the Services; and
- D. The Customer hereby engages to provide the Services to Techeco, in accordance with the terms and conditions of the Agreement.

NOW THESE PRESENTS WITNESS AND THE PARTIES HERETO AGREE HEREBY AS FOLLOWS:

1. Definitions

- I.1. In this Agreement, unless the context otherwise requires, the following words and expressions shall have the following meanings ascribed to them:

For TECHECO EWASTE NAMU LLP


AUTHORIZED SIGNATORY

1.1.1 "Techeco's Plant" shall mean recycling machinery situated at Nashik, Maharashtra

1.1.2 "Applicable Laws" means Basal Convention and all statutes, rules, judgment, order, regulation, directives, standards, guidelines, policies by-laws, approvals from government authority or other government restrictions or adjudication by quasi-judicial authorities (including those relating to environment, taxes, assessment etc) governing the Territories of Customer and Techeco.

1.1.3 "E-Waste" shall mean Electrical and Electronics Equipment at their end of life, whole or in part and scraps or rejects from their manufacturing process, which are intended to be discarded. The waste end of life equipment's which can be useful directly or after refurbishing or recycling.

1.1.4 "Delivery Point" shall mean the place of business of the Customer as may be agreed from time to time.

2. Engagement

2.1. Subject to the terms and conditions of the Agreement, the Customer hereby engages Techeco and Techeco hereby agree to provide Services to the Customer during the Term of this Agreement ("Engagement").

3. Techeco Services

Techeco shall provide Services in the nature of recycle the E-Waste supplied by the Customer.

4. Obligations of the Customer

4.1. Subject to the other terms of the Agreement, the Customer shall ensure that the E-Waste does not contain any hazardous material and shall deliver only E-Waste that qualifies the definition of E-Waste and meets the quality and quantity specifications as may be agreed between the parties from time to time.

4.2. The Customer shall, permit Techeco and its employees to inspect the E-waste in accordance with Clause 7 delivered to Techeco and allow Techeco at its sole discretion, to reject any E-Waste that fails to meet the specifications of E-Waste.

4.3. Customer shall seek a no objection from Techeco in case Customer proposes to sell or give any portion of E-Waste to any third parties during the term of this Agreement.

For TECHECO E-WASTE NAMO LLP



AUTHORIZED SIGNATORY

5. Delivery and Transport of E-waste:

- 5.1. The Customer shall arrange space to keep Bins and small space to collect the E-Waste so when it will be small tempo load material Techeco can collect the E-Waste from the Organisation.
- 5.2. Techeco will provide Logistic services from Delivery Point if Minimum quantity is 200 kg.

6. Indemnity

- 6.1. Techeco shall indemnify defend and hold the Customer, its employees, officers and directors against all claims, damages, losses and expenses arising out of or in relation to breach of the Techeco representations and warranties.
- 6.2. The Customer shall indemnify, defend, hold harmless and settle at its own expense, any action or other proceeding brought against Techeco, to the extent that such action or proceeding is based on Customer's representations and warranties becoming false and breach of the Customer's obligations hereunder.


7. Force Majeure:

- 7.1 Force Majeure means any event or a combination of event that materially or adversely affect the performance of either Parties of its obligation ("Affected Party") of its obligations in whole or in part, pursuant to the terms of this Agreement but only to the extent that such event or circumstances are not within the Affected Party's reasonable control and have not been caused by wilful neglect or act or omission of the Affected Party. The following events shall constitute Force Majeure: epidemic, nuclear emergency, earthquake, riot, war, acts of terrorist.
- 7.2 The Affected Party shall as soon as possible and no later than Thirty (30) days after occurrence of Force Majeure, provide written notice thereof to the other Party.
- 7.3 The Affected Party shall provide the other Party with prompt notice of cessation of the Force Majeure event and resume its obligations as contained herein.
- 7.4 In the event Force Majeure continues unabated for an uninterrupted period of 180 days either Party has a right to terminate this Agreement by providing prior written notice.

8. Term and Termination

- 8.1 This Agreement, unless otherwise terminated earlier, shall be effective for a period of 2 years from the Effective Date. The Parties may renew the Agreement for further periods by mutually agreeing to the terms of renewal.

For TECHECO EWASTE NAMO LLP


AUTHORIZED SIGNATORY



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in

- 8.2 Either party may terminate the Agreement without assigning any reason upon thirty (30) days' advance written notice to the other.
Either Party may terminate the Agreement if the other Party commits a material breach of the Agreement. However if the material breach is capable of rectification, the party suffering the breach shall be entitled to terminate only after giving 60 days written notice to the other party stating the details of the breach and on such breach not being cured within the thirty (30) days' notice period.
- 8.3 The Techeco shall, permit customer and its employees to inspect E Waste dismantling plant at any time during agreement period in case needed by Customer.
- 8.4 The Techeco will be solely responsible to obtain all permission, consent required collecting, segregate, refurbish and recycle E waste from competent authorities such as MPCB or as and when required as per laws applicable from time to time.
- 8.5 Either Party may terminate the Agreement forthwith by written notice if the other party is adjudged insolvent or bankrupt, or upon the institution of any proceedings by or against the other party seeking relief, reorganization or arrangement under any laws relating to insolvency, or upon any assignment for the benefit of creditors, or upon the appointment of a receiver, liquidator or trustee of any of the other party's property or assets, or upon liquidation, dissolution or winding up of the other Party's business.
- 8.6 Upon termination of Agreement
(i) Techeco shall cease to provide the Services;
- 8.7 Termination shall not affect either Party's prior rights or liabilities.

9. Severability

If at any time one or more provision of this Agreement becomes invalid or unenforceable, the remainder of this Agreement shall survive and remain in full force and effect. The parties shall endeavor in good faith to mutually discuss and include replacement provision to the Agreement to carry out the intention of the parties.


10. Relationship

Nothing in this Agreement shall be construed as creating a partnership or joint venture between the Parties or constitute either Party the agent of the other Party for any purpose.

11. Price

The Techeco will reimburse to the customer for collected E waste item as per rates mentioned in Annexure B.

For TECHECO EWASTE NAMO LLP


AUTHORIZED SIGNATORY



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | sbmtayurved@gmail.com | www.smbt.edu.in

IN WITNESS WHEREOF, the undersigned, intending to be legally bound, have duly executed this Agreement to become effective as of the date first above written.

For Techco Ewaste Namu LLP

For TECHECO EWASTE NAMO LLP

AUTHORIZED SIGNATORY

Name: Mr. Parikshit Deshmukh

Designation: Partner

Place: Nashik

Date: 02-03-2022

For SMBT Sevabhavi Trust

7/3/2022



Name: S.D. KURHE

Designation: CHIEF OFFICER


Place: DHAMANGAON

Date: 07/03/2022

ANNEXURE B

Sr. No.	Electrical and Electronic Items	Item Code	Best Price Per Piece	Worst Price Per Piece
1	CENTRALISED DATA PROCESSING: MAINFRAMES, MINICOMPUTERS	ITEW1	Server-1500	400
2	PERSONAL COMPUTING : PERSONAL COMPUTERS (CENTRAL PROCESSING UNIT WITH INPUT AND OUTPUT DEVICES)	ITEW2	Keyboard- 80	10
			LCD/LED Monitor- 500	80
			Mouse- 30	4
			SMPS- 35	35
			HDD- 200	60
			UPS- 300	100
			CPU- 800	180
3	PERSONAL COMPUTING : LAPTOPS COMPUTERS(CENTRAL PROCESSING UNIT WITH INPUT AND OUTPUT DEVICES)	ITEW3	Laptop- 3000	400
			Laptop Charger- 20	20
4	PERSONAL COMPUTING : NOTEBOOK COMPUTERS	ITEW4	3000	500
5	PERSONAL COMPUTING : NOTEPAD COMPUTERS	ITEW5	3000	500
6	PRINTERS INCLUDING CARTRIDGES	ITEW6	Printer- 200	50
			Tonner- 5 Rs/Kg	5 Rs/Kg
7	COPYING EQUIPMENTS	ITEW7	Scanner- 50	30
8	ELECTRICALS AND ELECTRONIC TYPEWRITERS	ITEW8	50	30
9	USER TERMINAL AND SYSTEMS	ITEW9	300	50
10	FACSIMILE	ITEW10	200	30
11	TELEX	ITEW11	30	10
12	TELEPHONES	ITEW12	20	10
13	PAY TELEPHONES	ITEW13	20	5
14	CORDLESS TELEPHONES	ITEW14	20	10
15	CELLULAR TELEPHONES	ITEW15	1000	80
16	ANSWERING SYSTEMS	ITEW16	1000	20
17	TELEVISION SET (INCLUDING SETS BASED ON LIQUID CRYSTAL DISPLAY AND LIGHT EMITTING DIODE TECHNOLOGY)	CEEW1	CRT TV- 70	40
			LCD/LED TV- 1000	150
18	REFRIGERATOR	CEEW2	20 Rs/Kg	
19	WASHING MACHINE	CEEW3	22 Rs/Kg	
20	AIR CONDITIONERS EXCLUDING CENTRALISED AIR CONDITIONING PLANTS	CEEW4	Indoor, Outdoor, Commercial and Industrial AC- 65 Rs/Kg	
21	ELECTRICAL ITEMS	NA	10 Rs/Kg	5 Rs/Kg
22	INSTRUMENTATION ITEMS	NA	10 Rs/Kg	5 Rs/Kg

For TECHEGO EWASTE NANO LLP


AUTHORIZED SIGNATORY



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
 Email : principal.ayurved@smbt.edu.in | sbmtayurved@gmail.com | www.smbt.edu.in

SMBT SEVABHAVI TRUST							
SR. NO. 34/1, AMRUTNAGAR, SANGAMNER,							
Dist. Ahmednagar, 422605							
GSTIN:				27AABTS1967K1Z1			
Tax Invoice							
Invoice No: GST-004				Party Details			
Invoice date: 20.04.2022				Name: Techeco Ewaste Namu LLP			
Reverse Charge (Y/N):				Address: Gat No. 155/B/2, Village:Dhakabe, Tal:Dindori			
				Dist: Nashik			
State: MAHARASHTRA		Code-27		GSTIN: 27AAOFT3744N1ZF			
S. No.	Product Description	In KG	Amount	Taxable Value	Rate	CGST Amount	Total
1	Tonner	517	2422.25	2422.25	5	121.11	2543.36
2	LCD/LED Monitore	100.5	3400	3400	5	170.00	3570.00
3	Ky Board	54.5	950	950	5	47.50	997.50
4	SMPS	47.83	2080	2080	5	104.00	2184.00
5	CPU	303.1	11220	11220	5	561.00	11781.00
6	Printer	44.85	360	360	5	18.00	378.00
7	Set top box	2.35	80	80	5	4.00	84.00
8	HDD	11.25	1500	1500	5	75.00	1575.00
9	Telephone	7.7	170	170	5	8.50	178.50
10	Laptop Battery	0.5	20	20	5	1.00	21.00
11	Mother board	5.65	270	270	5	13.50	283.50
12	UPS	39.8	960	960	5	48.00	1008.00
13	Wire	102	510	510	5	25.50	535.50
14	Rack	14	140	140	5	7.00	147.00
15	CRT Monitor	226.1	630	630	5	31.50	661.50
16	Mouse	6	228	228	5	11.40	239.40
17	CRT TV	45.65	40	40	5	2.00	42.00
18	Stabilizer	3.35	50	50	5	2.50	52.50
19	Calculator	0.35	15	15	5	0.75	15.75
20	Lan tester		10	10	5	0.50	10.50
21	Laptop adaptor	1.6	30	30	5	1.50	31.50
22	Switch		30	30	5	1.50	31.50
23	Zebra ribbon		0	0	5	0.00	0.00
24	Speaker		10	10	5	0.50	10.50
Total			25125.25	25125.25		1256.26	26381.51
Total Invoice amount in words				Total Amount before Tax 25125			
Rs. Thirteen Lack Fortyone Thousand Five Sixty Five Only 0				Add: CGST 1256			
				Add: SGST 0			
				Total Tax Amount 1256			
				Total Amount after Tax: 26382			
Bank Details							
Bank A/C: 502001010035253							
Bank IFSC: UBIN0574961							
Terms & conditions				Certified that the particulars given above are true and correct Authorised signatory			



SMBT Sevabhavi Trust's

SMBT AYURVED COLLEGE AND HOSPITAL

Nandihills, Dhamangaon-Ghoti, Tal. Igatpuri, Nashik-422403 Ph. (02553) 282341
Email : principal.ayurved@smbt.edu.in | smbtayurved@gmail.com | www.smbt.edu.in